IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: John G. CARMAN Confirmation No.:

Application No.: Not yet assigned Group Art Unit:

Filing Date: Concurrently herewith Examiner:

For: METHODS FOR PRODUCING Attorney Docket No.: 81938-4199

APOMICTIC PLANTS

INFORMATION DISCLOSURE STATEMENT

Mail Stop PATENT APPLICATION

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Pursuant to Applicants' duty of disclosure under 37 C.F.R. § 1.56, enclosed is a Form PTO-1449 containing a total of 86 references for the Examiner's review and consideration. Copies of those references labeled B3, C3, and C78 are enclosed herewith. Copies of the remaining references were previously disclosed by Applicant or cited by the Examiner in the parent applications hereof, those being U.S. Patent Application Serial No. 09/744,614, filed January 26, 2001, and U.S. Patent Application Serial No. 09/576,623, filed May 23, 2000. Copies of the remaining references will be provided if the Examiner so requests.

It is respectfully requested that the references be made of record in this application by the Examiner's completion and return of the enclosed Form PTO-1449. While no representation is made that any of these references may be "prior art" within the meaning of that term under 35 U.S.C. Sections 102 or 103, the enclosed list of references is disclosed so as to fully comply with the duty of disclosure set forth in 37 C.F.R. Section 1.56.

Moreover, while no representation is made that a specific search of office files or patent office records has been conducted or that no better art exists, the undersigned attorney of record believes that the references listed, together with any other references which may have been previously cited by or submitted to the Office, are the closest to the claimed invention (taken in its entirety) of which the undersigned is presently aware, and no art which is closer to the claimed invention (taken in its entirety) has been knowingly withheld.

This Information Disclosure Statement is filed under 37 C.F.R. § 1.97(b), before the latter of three months after the U.S. patent application filing date or the first Office Action on

the merits. Accordingly, no fee or certification is required. Should any fees be required, however, please charge such fees to Winston & Strawn LLP Deposit Account No. 50-1814.

Respectfully submitted,

Rodney J. Fuller

(Reg. No. 46,714)

For: Allan A. Fanucci

(Reg. No. 30,256)

WINSTON & STRAWN LLP

Customer No. 28765

202-371-5904

LIST OF REFERENCES CITED BY APPLICANT Form PTO-1449

(Use several sheets if necessary)

ATTY. DOCKET NO.:	APPLICATION NO.:
81938-4199	
APPLICANT:	
John G. CARMAN	
FILING DATE:	GROUP:
Concurrently herewith	

Sheet 1 of 4

	U.S. PATENT DOCUMENTS						
*EXAMINER INITIAL	CITE NO.	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
	A1	5,710,637	01/1998	Kindiger et al.	800	200	

	OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)
C1	Asker and Jerling, Apomixis in Plants, p. 114. 1992.
C2	Asker and Jerling, Apomixis in Plants, p. 81-107, 241-283. 1992.
С3	Barcaccia et al. Comparison between isozyme and RAPD analyses to screen aberrant plants in <i>Poa pratensis</i> L. progenies, in Apomixis Newsletter, 7:29-30. 1994.
C4	Bashaw et al., Apomictic grasses. In: Principles of Cultivar Development Vol. 2, Fehr (ed.), Macmillan Publishing Company, New York, pp. 40-82. 1987
C5	Bashaw, Apomixis and its Application in Crop Improvement. Hybridization of Crop Plants, Fehr et al (eds.), American Society of Agronomy and Crop Science Society of America, Madison, pp. 45-63. 1980.
C6	Bates et al., 1974, Wide Crossess. In: Proceedings of World-wide maize improvement in the 70's and the role of CIMMT, April 22-26 El Batan, Mexico. 7 pp. CIMMT.
C7	Battaglia, R., 1989. The Evolution of the Female Gametophyte of Angiosperms: an Interpretive Key, Annali di Botanica 47:7-144.
C8	Baum et al. Wide Crosses in Cereals. Annu. Rev. Plant Physiol. Plant Mol. Biol., 43:117-43. 1992.
С9	Bayer, R.J., Evolution of Polyploid Agamic Complexes with Examples from <i>Antennaria</i> (Asteraceae), Opera Botanica 132:53-65 (1996).
C10	Bell, P.R, Apospory and Apogamy: Implication for Understanding the Plant Life Cycle, International Journal of Plant Sciences 153: S123-S136 (1992).
C11	Bennett, S.T. et al., Spatial Separation of Ancestral Genomes in the Wild Grass Milium montianum Parl., Annals of Botany 70:111-118 (1992)
C12	Carman JG, The evolution of gametophytic apomixis, In Batygina (ed) Embryology of Flowering Plants, Vol. 3, The Systems of Reproduction, Russian Acad Sci, St. Petersburg. 230-236. 2000.
C13	Carman JG. Asynchronous expression of duplicate genes in angiosperms may cause apomixis, bispory, tetraspory, and polyembryony. Biol J. Linnean Soc 61: 51-94. 1997.
C14	Carman, Evolution of Apomixis in <i>Antennaria</i> (Asteraceae): A Model Involving Hybrid Origins and Karyotypic Stabilization, presented at Plant & Animal Genome XI, The International Conference on the Status of Plant & Animal Genome Research. Town & Country Hotel, San Diego, California. January 11-15, 2003.
C15	Carman, J.G., Aposporous Apomixis in Schizachyrium (Poaceae:Androppogoneae), Crop Science 2:1252-1255 (1982)
C16	Carman, J.G., Comparative Histology of Cell Walls During Meiotic and Apomeiotic Megasporogeny in Two Hexaploid Australian Elymus species, Crop Science 31:1526-1532 (1991).
C17	Carman, J.G., Gametophytic Angiosperm Apomicts and the Occurrence of Polyspory and Polyembrony Among Their Relatives, Apomixis Newsletter 8:39-53 (1995)
C18	Carman, J.G., Phylogeny of Apomictic, Polysporic and Polyembroynic Angiosperms: Evolutionary and Regulatory Implications, Abstract of a paper presented at the international conference, Harnessing Apomixis, September 25-27, College Station, Texas (1995)

EXAMINER

DATE CONSIDERED

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF REFERENCES CITED BY APPLICANT Form PTO-1449 (Use several sheets if necessary) Sheet 2 of 4 ATTY. DOCKET NO.: 81938-4199 APPLICANT: John G. CARMAN FILING DATE: Concurrently herewith

	OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)
C19	Crane, C.F. et al., Mechanismsm of Apomixis in Elymus rectisetus from Eastern Australia and New Zealand, <i>American Journal of Botany</i> , Vol. 74, pp.477-496.
C20	de Wet et al. 1970. Stable triploid hybrids among Zea-Tripsacum-Zea backcross populations. Caryologia 23:183-187.
C21	De Wet, J.M.J. et al., Gametophytic Apomixis and Evolution in Plants, Taxon 23:689-697 (1974)
C22	Dung et al., Dissection of a major QTL for photoperiod sensitivity in rice: its association with a gene expresses in an age-dependent manner. Theor. Appl. Genet. Vol. 97, pp. 714-720, 1996.
C23	Ellerstrom et al., 1977. Sterility and apomictic embryo-sac formation in Raphanobrassica. Hereditas 87:107-120.
C24	Ellerstrom et al., 1983. Apomictic progeny from Raphanobrassica. Hereditas 99:315.
C25	Eshed et al., 1996. Less-than-epistatic interactions of quantitative trait loci in tomato. Genetics 143:1807-1817.
C26	Evans et al. Environmental Control of Reproduction in <i>Themeda Australis</i> , Aust. J. Bot., 17:375-89. 1969.
C27	Garcia et al., 2000. Genetic variation in the progeny of maize/Tripsacum hybrids. Maize Genet. Coop Newsletter 74:40-41.
C28	Grimanelli et al, Mapping diplosporous apomixis in tetraploid <i>Tripsacum</i> : one gene or several genes, Heredity 80:33-39. 1998.
C29	Gustafsson Å. Apomixis in higher plants. III. Biotype and species formation. Lunds Universitets Årsskrift 43: 181-370. 1947.
C30	Hanna et al., Apomixis: Its identification and use in plant breeding. Crop Science. Vol. 27, pp. 1136-1139. 1987
C31	Holm et al. 1996. Sexuality and no apomixis found in crossing experiments with diploid Potentilla argentea. Hereditas 125:77-82.
C32	Hovin et al., Apomixis in Kentucky bluegrass. Crop Science. Vol. 16, pp. 635-638. 1976
C33	Hussey et al. Influence of photoperiod on the frequency of sexual embryo sacs in facultative apomictic buffelgrass, Euphytica 54:141-145. 1991.
C34	Jefferson and Bicknell, The potential impacts of apomixis: a molecular genetics approach, in <i>The Impact of Plant Molecular Genetics</i> , Birkhauser, Boston, pp. 88-89, 94, 98). 1996.
C35	Johri, et al., Comparative Embryology of Angiosperms, Vol. 1, pp. 1-4, 29-41, and 84-94, 1992.
C36	Kenny et al., A test of the general-purpose genotpe hypothesis in sexual and asexual Erigeron species. The American Midland Naturalist, Vol. 136, No. 1, pp. 1-13, 1996.
C37	Knox, R.B. et al., Experimental Control of Apsporous Apomixis in a Grass of the Andropogoneae, Botanisk Notiser 116:127-141 (1963)
C38	Knox, R.B., Apomixis: Seasonal and Population Differences in a Grass, Science 157:325-326 (1967)
C39	Kraft et al. 2000. Linkage disequilibrium and fingerprinting in sugarbeet. Theor. Appl. Genet. 101:323-326.
C40	Kultunow et al. Apomixis: molecular strategies for the generation of genetically identical seeds without fertilization, Plant Physiol 108: 1345-1352. 1995.
C41	Leblanc et al. Detection of the apomictic mode of reproduction in maize- <i>Tripsacum</i> hybrids using maize RFLP markers, Theor Appl Genet 90: 1198-1203. 1995.

EXAMINER	DATE CONSIDERED
*EXAMINER: Initial if reference considered, whether or not citation conformance and not considered. Include copy of this form with next cor	is in conformance with MPEP 609. Draw line through citation if not in munication to applicant.

LIST OF REFERENCES CITED BY APPLICANT Form PTO-1449 (Use several sheets if necessary) Sheet 3 of 4 ATTY. DOCKET NO.: 81938-4199 APPLICANT: John G. CARMAN FILING DATE: Concurrently herewith

		OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)
	C42	Leblanc, O. et al., Megasporogenesis and Megagametogenesis in Several Tripsacum species (Poaceae), American Journal of Botany 82:57-63 (1995)
C	C43	Leblanc, O. et al., Timing of Megasporogenesis in Tripsacum species (Poaceae) as Related to the Control of Apomisix and Sexuality, Polish Botanical Studies *:75-81 (1994)
	C44	Liu et al. Hybrids and backcross progenies between wheat (<i>Triticum aestivum</i> L.) And apomictic Australian wheatgrass [<i>Elymus rectisetus</i> (Nees in Lehm.) A. Löve & Connor]: karyotypic and genomic analyses, Theor Appl Genet, 89:599-605. 1994.
(C45	Marshall, D.R., et al., The Evolution of Apomixis, Heredity 47:1-15 (1981)
C	C46	Mogie, M. A Model for the Evolution and Control of Generative Apomisix, Biological Journal of the Linnean Society 35:127-153 (1988)
(C47	Mogie, The Evolution of Asexual Reproduction in Plants, 139-196. 1992.
(C48	Mujeeb-Kazi, A., Apomictic Progeny Derived from Intergeneric Hordium-Triticum Hybrids, The Journal of Heredity:72-284-285 (1981)
C	C49	Mujeeb-Kazi, A., Apomixis in Trigeneric Hybrids of Triticum aestivum/Leymus racemosa/Thinopynum elongatum, Cytologia 61:15-18 (1996)
(C50	Naumova et al., Apomixis in plants: structural and functional aspects of diplospory in Poa Nemoralis and P. palustris, Protoplasma 208:186-195, 1995.
(C 5 1	Naumova, T.N. et al., Quantitative Analysis of Aposporous Parthenogenesis in Poa pratensis Genotypes, Acta Botanica Neerlandica 42:299-312 (1993)
	C52	Naumova, T.N. et al., Ultrastructural Characteristics of Apospory in Panicum maximum, Sexual Plant Reproduction 8:197-204 (1995)
(C53	Nogler, G.A., Genetics of Gametophytic Apomixis - A Historial Sketch, Polish Botanical Studies 8:5-11 (1994)
(C54	Nordborg, B., Embryological Studies in the Sanguisorba Minor Complex (Rosaceae), Botaniska Notiser 120:109-119 (1967)
	C55	Ozians-Akins, P., et al., Transmissions of the Apomictic Mode of Reproduction in Pennisetum: Co-Inheritance of the Trait and Molecular Markers, Theoretical and Applied Genetics 85:632-638 (1993)
	C56	Ozias-Akins et al. Tight clustering and hemizygosity of apomixis-linked molecular markers in <i>Pennisetum squamulatum</i> implies genetic control of apospory by a divergent locus that may have no allelic form in sexual genotypes, Proc Natl Acad Sci 95: 5127-5132.
(C57	Ozias-Akins, Characterization of the Genomic Region Associated with the Transmission of Apomixis in <i>Pennisetum</i> and <i>Cenchrus</i> , presented at Plant & Animal Genome XI, The International Conference on the Status of Plant & Animal Genome Research. Town & Country Hotel, San Diego, California. January 11-15, 2003.
(C58	Peacock, J., Genetic Enginering and Mutagenesis for Apomixis in Rice, In. Wilson KJ, ed., Proceedings of the International Workshop of Apomixis in Rice, Changsha, China. New York: Rockefeller Foundation 11-22 (1993)
(C59	Peel, M.D. et al., Megasporocyte Callose in Apomictic Buffelgrass, Kentucky Bluegrass, Pennisetum squamulatum Fresen, Tripsacum L., and Weeping Lovegrass, Crop Science, Vol. 37, No. 3
(C60	Peel, M.D. et al., Meiotic Anomalies in Hybrids Between Wheat and Apomictic Elymus rectisetus (Nees in Lehm.) A. Love & Connor, Crop Sci. 37:717-723 (1997)
(C61	Poehlman, Breeding Field Crops, 3 rd Ed., pp. 164-165, 332-339. 1987.

EXAMINER	DATE CONSIDERED		
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in			
conformance and not considered. Include copy of this form with next cor	mmunication to applicant.		

LIST OF REFERENCES CITED BY APPLICANT Form PTO-1449 (Use several sheets if necessary) Sheet 4 of 4 ATTY. DOCKET NO.: 81938-4199 APPLICANT: John G. CARMAN FILING DATE: Concurrently herewith

	OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)
C62	Purnhauser et al., 1993. A method for crossing non-synchronously flowering parents in wheat, using cold storage of the female parent. Cereal Res. Comm. 21(2-3):175-179
C63	Quarin, Seasonal changes in the incidence of apomixis of iploid, triploid, and tetraploid plants of Paspalum cromyorrhizon. Euphytica. Vol. 35, pp. 515-522. (Abstract only) 1986
C64	Ramula et al. Apomixis for crop improvement, Protoplasma 208: 196-205 (see Abstract and Conclusions). 1999.
C65	Salisbury et al. Plant Physiology, 4th Ed., pp. 504-514. 1992.
C66	Saran et al. 1976. Environmental control of reproduction in Dichanthium intermedium. J. Cytol. Genet. 11:22-28.
C67	Sharbel et al. Genome-Wide Genetic Variability and DNA Sequence Divergence along an Aneuploid Chromosome Associated with Apomixis in the <i>Arabis holboellii</i> Complex, presented at Plant & Animal Genome XI, The International Conference on the Status of Plant & Animal Genome Research. Town & Country Hotel, San Diego, California. January 11-15, 2003.
C68	Sherman, R.A. et al., Apomixis in Diploid X Triploid Tripsacum dactyloides hybrids, Genome 34:528-532 (1991)
C69	Sherwood et al. Inheritance of apospory in buffelgrass, Crop Sci 34:1490-1494. 1994.
C70	Sherwood. Genetic analysis of apomixis, in Savidan et al. ed., The Flowering of Apomixis: From Mechanisms to Genetic Engineering, D.F.:CIMMYT,IRD,EC DG V1, FAIR, 2001.
C71	That, New developments in hybrid rice. International Rice Commission Newsletter. Vol. 42, pp. 28-34. (Abstract only) 1993
C72	Torabinejad et al. Morphology and genome analyses of interspecific hybrids of <i>Elymus scabrus</i> , Génome, 29:150-155. 1987.
C73	Vielle Calzada, J-P et al., Apomixis: the Asexual Revolution, Science 274:1322-1323 (1996)
C74	von Bothmer R. et al., Complex Interspecific Hybridization in Barley (<i>Hordium vulgare L</i> and the Possible Occurrence of Apomixis. Theoretical and Applied Genetics, 76:681-690 (1988).
C75	Zenkteler. <i>In Vitro</i> Fertilization and Wide Hybridization in Higher Plants, Critical Reviews in Plant Sciences, 9: 267-279. 1990.

EXAMINER		DATE CONSIDERED
*EXAMINER:	Initial if reference considered, whether or not citation is	is in conformance with MPEP 609. Draw line through citation if not in